Wart Hog HEPA Vacs

Available in both **electric** and **pneumatic**, the Wart Hog Series HEPA vacs are an ideal solution for dustless sanding, dust extraction, and general cleanup. They are designed for the removal of coatings containing Hexavalent Chromium (Cr VI), lead, cadmium and other heavy metals, carbon fiber, ceramic dust, fiberglass and mold. These units are extremely portable, lightweight and feature extra heavy duty components that ensure long life and extreme durability for industrial and military environments.

The Wart Hog HEPA Vacuums incorporate Safe Filter Change unique to Clayton.

This means technicians can open the filter compartment and change the primary vacuum filter without protective gear or exposing other workers and environment to hazardous dust.

Pneumatic Vacuums



- **Features**
- Tough impact-resistant poly tank withstands rough use and chemical/biological exposure
- Self closing vacuum port prevents hazardous dust from escaping when not in use
- Industrial pneumatic power head for both 5 and 15 gallon units
- Screw on HEPA filter captures 99.97% of particles 0.3µm and larger
- · Pre-filter protects HEPA for longer life

Includes

- HEPA filter
- · Bag filter 5 pak

WH-105-4P Available with rubber cup feet

Wart Hog Pneumatic Vacs

Model	NSN	Tank Capacity gal (liters)	Consumption	CFM (lpm)	Vacuum "H2O (mbar)	dBA	HP	Weight lbs (kg)	Price
WH-105-4		5 (19)	60 CFM @ 90 PSI (1699 lpm @ 413Pa)	105 (2973)	180 (447)	79	-	23	
WH-115-4		15 (57)	60 CFM @ 90 PSI (1699 lpm @ 413Pa)	105 (2973)	180 (447)	79	-	44	



Wart Hog Large Capacity

Available in Air and Electric, our 30 gallon Wart Hog provides that extra capacity for big jobs. When it's time to empty, our filter bag includes forklift straps for easy lifting and removal.



Pass through

tools

compressed air for pneumatic

Compressed air

pressure gauge

Features

- Powder coated steel tank
- Self closing vacuum port prevents hazardous dust from escaping when not in use
- Electric Heavy duty 2 HP power head (120VAC @ 11A) or pneumatic power head
 Screw on HEPA filter captures 99.97% of particles 0.3 μm and larger
- Pre-filter protects HEPA for longer life

Includes

• HEPA Filter



Nickel plated brass

ball valve and high flow ½" fitting

Wart Hog 30 Gal Vacs

Wart Hog Volt

<u></u>									
Model	NSN	Tank Capacity gal (liters)	Consumption	CFM (lpm)	Vacuum "H2O (mbar)	dBA	HP	Weight lbs (kg)	Price
WH-130-0		30 (115)	120VAC @ 11.4A	112 (3171)	106 (263)	83	2		
WH-130-1		30 (115)	220VAC @ 6.4A	108 (3058)	100 (248)	83	2		
WH-130-2		30 (115)	240VAC @ 6.4A	128 (3624)	100 (248)	83	2		
WH-130-4		30 (115)	60 CFM @ 90 PSI (1699 lpm @ 413kPa)	105 (2973)	180 (447)	79	-		

The Wart Hog vacuum is available alone, or in 4 package configurations.

Wart Hog Packages	WH-1xx-x-1000	WH-1xx-x-500	WH-1xx-x-400	WH-1xx-x-300
NSN				
GSA	*	*	*	*
Bag Filters 5 pak	✓	✓	✓	✓
Cleanup Hose				✓
Cleanup Tools				✓
Tool Control Kit				✓
Compressed Air Line 30' x ½"	×	×	×	×
Air / Vacuum Hose 1½" x 20'	✓	✓	✓	
5" Random Orbital Sander	✓	✓		
5" Backup Pads 3 pak	✓			
5" Pad Protectors 3 pak	✓			
5" 80 grit abrasive 250 pak	✓			
5" 120 grit abrasive 250 pak	✓			
5" 180 grit abrasive 250 pak	✓			

Included with Pneumatic Wart Hogs only

Use the Wart Hog model number to specify 5, 15 or 30 gallon electric or pneumatic. ex. WH-105-0-1000

WH-1xx-x-1000 Turn-key Dustless Sanding Package. Includes sander, abrasives, backup pads, protector pads.

WH-1xx-x-500 Complete Dustless Sanding Package. Includes 5" Clayton random orbital sander.

WH-1xx-x-400 Basic Dustless Sanding Package. Customer supplies sander or purchases a Clayton sander separately.

WH-1xx-x-300 Cleanup Package, great for FOD pickup.



Wart Hog Accessories


Since the electric and pneumatic Hogs are based on the same design, they share accessories and consumables.

Wart Hog Accessories

Model	NSN	Description	Price
627-12H	7	HEPA filter	
627-12P		PreFilter 3 pack	
600-313A	7	Bag Filter 5 pack (WartHog 5 gal)	
627-16B	_	Bag Filter 5 pack (WartHog 15 gal)	
627-30B		Bag Filter 5 pack (WartHog 30 gal)	
630-A004-05		Tool Control Belt (WartHog 5 gal)	
630-A004-15		Tool Control Belt (WartHog 15 gal)	
630-A004-30		Tool Control Belt (WartHog 30 gal)	
922-A08H30		Airline 1/2" x 30'	
671-VHX24-20		Vacuum Hose 1-1/2" x 20' (Static conductive)	
671-VHA24-003		Safe Filter Change Hose	
926-A08F40-01		Compressed Air Filter Integrated	
926-A08F40-02		Compressed Air Filter Quick Disconnect	



Available on GSA Advantage website @ www.GSAadvantage.gov





671-VHA24-003 Safe Filter Change Hose



922-A08H30 Additional lengths available



671-VHX24-20 Additional lengths available



630-A001 Additional kits available

600-313A





630-A004-05





Air Filter Quick Disconnect